



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : C11D 3/48, A61K 7/48, 7/50	A1	(11) International Publication Number: WO 93/07250 (43) International Publication Date: 15 April 1993 (15.04.93)
(21) International Application Number: PCT/AU92/00539 (22) International Filing Date: 9 October 1992 (09.10.92) (30) Priority data: PK 8798 9 October 1991 (09.10.91) AU (71) Applicant (for all designated States except US): NOVA-PHARM RESEARCH (AUSTRALIA) PTY. LTD. [AU/AU]; 3-11 Primrose Avenue, Rosebery, NSW 2018 (AU). (72) Inventor; and (75) Inventor/Applicant (for US only) : GLUCK, Bruno, Anthony [AU/AU]; 1-11 Primrose Avenue, Rosebery, NSW 2018 (AU). (74) Agent: SPRUSON & FERGUSON; G.P.O Box 3898, Sydney, NSW 2001 (AU).		(81) Designated States: AT, AU, BB, BG, BR, CA, CH, CS, DE, DK, ES, FI, GB, HU, JP, KP, KR, LK, LU, MG, MN, MW, NL, NO, PL, RO, RU, SD, SE, UA, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG). Published <i>With international search report.</i> <i>With amended claims.</i>
(54) Title: NOVEL SKIN AND HAND CLEANSING PROCESS AND COMPOSITIONS (57) Abstract The present invention provides an antiseptic cleansing composition comprising an alkanol and an aqueous concentrate of a surfactant. The compositions may also comprise a biocide. The present invention further provides a method for cleansing skin comprising applying the composition of this invention onto the skin allowing the alkanol in the composition on the skin to evaporate whereby the skin is substantially dry, applying a small amount of water to the substantially dry skin, washing the skin under foam generation and finally rinsing the skin.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
AU	Australia	GA	Gabon	MW	Malawi
BB	Barbados	GB	United Kingdom	NL	Netherlands
BE	Belgium	GN	Guinea	NO	Norway
BF	Burkina Faso	GR	Greece	NZ	New Zealand
BG	Bulgaria	HU	Hungary	PL	Poland
BJ	Benin	IE	Ireland	PT	Portugal
BR	Brazil	IT	Italy	RO	Romania
CA	Canada	JP	Japan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	LI	Liechtenstein	SK	Slovak Republic
CI	Côte d'Ivoire	LK	Sri Lanka	SN	Senegal
CM	Cameroon	LU	Luxembourg	SU	Soviet Union
CS	Czechoslovakia	MC	Monaco	TD	Chad
CZ	Czech Republic	MG	Madagascar	TG	Togo
DE	Germany	ML	Mali	UA	Ukraine
DK	Denmark	MN	Mongolia	US	United States of America
ES	Spain			VN	Viet Nam
FI	Finland				

Novel Skin And Hand Cleansing Process And Compositions

Technical Field

The present invention relates to a process for antiseptically cleaning the skin and hands and compositions therefor.

Background Art

It has been common practice worldwide that preoperative hand cleansing has been carried out in either of the two following ways.

In one instance antiseptic skin and hand cleansing is effected by treating the hands with an anti-microbial agent dissolved in an alcohol such as ethyl or isopropylalcohol or a mixture thereof at high concentrations, usually 70% v/v, or by scrubbing the hands or skin for 5 minutes with an antibacterial aqueous soap solution.

Although the use of antiseptic alcoholic solutions achieves complete disinfection of the hands and skin, repeated application can cause, due to dehydration, reddening with irritation and in some cases breaking of the skin.

In the other instance hand scrubbing procedures with aqueous germicidal soaps over the prescribed 5 minute period can cause considerable, but not complete reduction of the bacterial flora on the skin and although dehydration of the skin is largely reduced in comparison to antiseptic alcoholic preparations, repeated prolonged scrubbing can produce similar deterioration of the skin.

Disclosure Of The Invention

According to one broad form of the present invention there is provided an antiseptic cleansing composition comprising an alkanol and an aqueous concentrate of a surfactant.

According to another broad form of this invention there is provided a method for cleansing skin comprising applying the composition of this invention onto the skin in a sufficient amount and for a sufficient period of time in order to achieve asepsis.

Suitable alkanols are the lower alkanols such as methanol, ethanol, n-propanol or isopropanol. Alkanols might be single or mixtures thereof and should not be less than 40% and not more than 80% and generally not more than 60% of the total volume. Further aromatic alcohols such as benzyl alcohol, phenoxyethyl or - propyl alcohol might be added to a maximum of 5% calculated on the total volume of the final formulation.

The cationic compound may be a quaternary ammonium compound or a bis or di-bis-biguanidine:

The composition may also contain a microbiocidal compound which may be any commonly used for disinfection. For example, the microbiocide may be a cationic microbiocide, an iodophor, a bacteriostat or a phenol or derivative thereof.

Suitable quaternary ammonium compounds are benzalkonium chloride, benzethonium chloride, methylbenzethonium chloride, hexadecylpyridinium chloride,

alkylisoquinolinium bromide or hexadecyltrimethylammonium bromide. Most preferably the quaternary ammonium compound is benzalkonium chloride.

A preferred biguanidine is chlorhexidine gluconate.

A preferred iodophor is povidone iodine.

5 A preferred bacteriostat is hexachlorophene or triclosan.

A preferred phenol is 2-hydroxy diphenyl.

Surfactants should preferably be mild to the skin such as the sodium sulfosuccinates, monoethanolamine lauryl ethoxy sulfonates or amphoterics such as dodecyl propylamino acetic acid. Where a cationic biocide is used, the nonionic surfactant
10 may be the ethoxy-derivative of either a fatty alkanol or alkyl phenyl.

The alkanol may be present up to 80 parts by volume.

The time of application is from a minimum of about 30 to a maximum until most or all of the alkanol has evaporated, but preferably about 90 seconds.

Furthermore on application of a small amount of water excellent sudsing
15 cleansing is obtained on normal handwashing movements, for 15 to 30 seconds. The hands are then rinsed under running water and dried.

The compositions of this invention may be used to disinfect the skin.

Advantageously foaming agents can be included in the compositions such as the alkyl mono or diethanolamine of oleyl-, coco-, lauryl- or undecylenic acid or thickening
20 agent such as carbopol or hydroxyethyl cellulose.

The benefit of this novel preparation is that it provides a new process of complete hand and skin disinfection by reducing scrubbing time considerably from the standard time of 5 minutes by 2 to 3 minutes without dermatological damage to the skin on repeated applications.

25 This method is particularly applicable to human handwashing.

Best And Other Modes For Carrying Out The Invention

The present invention will now be described with reference to the following examples which should not be construed as limiting on the scope thereof.

Example 1

Hand Wash

30	Ethanol	70.0 ml
	Triclosan	1.5 g
	Laureth 2	5.0 g
	Cocodiethanolamine	4.0 g
35	Hydroxypropylcellulose	1.0 g
	Water to final volume	100.0 ml

Example 2**Demonstration Of Effectiveness Of The Present Composition**

The hand wash of Example 1 was evenly applied for 60 seconds on dry hands to cover all parts and a little water added with a routine washing movement of the hands. A copious foam developed similar to washing with soaps. After 30 seconds the hands were rinsed well under running tap water and dried with a paper towel.

Two forefingers were then placed for 30 seconds on an unseeded agar plate, then on an agar plate seeded with *Escherichia coli* and again on unseeded agar.

None of the plates after incubation of 48 hours showed any growth. This demonstrated that not only complete disinfection after the novel washing process of one and a half minutes was achieved but also residual antibacterial properties on the skin by inhibiting growth of the seeded agar with *E. coli* after being in contact with it. Using the same conditions a glove juice test gave a log reduction between 1.5 to 2.0.

Example 3**Hand Wash**

	Chlorhexidine gluconate 20%	5.0 g
	Ethanol	30.0 ml
	Isopropanol alcohol	40.0 ml
20	Nonylphenol ethoxylate	7.0 g
	Lauryl diethanolamine	2.0 g
	Laurylamineoxyde	1.5 g
	Methoxethylcellulose	0.7 g
	Water to final volume	100.0 ml

Example 4**Surgical Scrub-Up**

	Triclosan	1.5 g
	n-Propanol	70.0 ml
	Phenoxyethanol	4.0 ml
30	Sod. alkyl lauramido	
	- monethanolamine sulposuccinate	4.0 g
	lauryldiethanolamide	2.0 g
	Water to final volume	100.0 ml

Example 5

35	Povidone Iodine	10.0 gm
	Hexachlorophene	0.5 gm
	Isopropanol	45.0 gm
	Fenopon Co 436	10.0 gm
	Lauryl diethanolamide	2.0 gm
40	Lauryl monoethanolamide	2.0 gm
	Water to final volume	100.0gm

During the whole mixing process care has to be taken to ensure that the pH is always below 6.0 and is to be finally adjusted to 4.5 with either citric acid or triethanolamine.

Industrial Applicability

5 It should be clear that the compositions of the present invention will find wide use in medical, veterinary, and food processing industries.

The foregoing describes only some embodiments of the present invention and modifications obvious to those skilled in the art can be made thereto without departing from the scope of the invention.

Claims


1. An antiseptic cleansing composition comprising an alkanol and an aqueous concentrate of a surfactant.
2. The composition of claim 1 further comprising a biocide.
- 5 3. The composition according to claim 1 or claim 2 where the alkanol is a water-soluble aliphatic alcohol of not less than 40% and not more than 80% of the total volume.
4. The composition according to any one of claims 1 to 3 wherein the alkanol is selected from the group consisting of ethyl and n-propyl alcohol.
- 10 5. The composition according to any one of claims 1 to 4 wherein the surfactant is selected from the group consisting of an anionic, non-ionic and an amphoteric surfactant.
6. The composition according to any one of claims 1 to 5 wherein the biocide is selected from the group consisting of a water-soluble cationic bactericide, an iodophor,
15 or and a water-insoluble bacteriostat.
7. The composition according to claim 6 wherein the water-soluble bactericide is chlorhexidine gluconate, the iodophor is povidone iodine, and the water-insoluble bacteriostat is triclosan or hexachlorophene.
8. A method for cleansing skin comprising applying the composition of claim
20 1 onto the skin in a sufficient amount and for a sufficient period of time in order to achieve asepsis.
9. The method of claim 8 wherein the period of time is between 30 and 90 seconds.
10. The method according to claim 8 or claim 9 further comprising allowing
25 the alkanol in the composition on the skin to evaporate whereby the skin is substantially dry, applying a small amount of water to the substantially dry skin, washing the skin under foam generation and finally rinsing the skin.
11. The method of claim 10 wherein the skin is rinsed with water.

AMENDED CLAIMS

[received by the International Bureau on 18 February 1993 (18.02.93),
original claim 4 amended;
other claims unchanged (1 page)]

Claims:

1. An antiseptic cleansing composition comprising an alkanol and an aqueous concentrate of a surfactant.
2. The composition of claim 1 further comprising a biocide.
- 5 3. The composition according to claim 1 or claim 2 where the alkanol is a water-soluble aliphatic alcohol of not less than 40% and not more than 80% of the total volume.
4. The composition according to any one of claims 1 to 3 wherein the alkanol is selected from the group consisting of ethanol, n-propanol and isopropanol.
5. The composition according to any one of claims 1 to 4 wherein the surfactant
10 is selected from the group consisting of an anionic, non-ionic and an amphoteric surfactant.
6. The composition according to any one of claims 1 to 5 wherein the biocide is selected from the group consisting of a water-soluble cationic bacteriocide, an iodophor, or and a water-insoluble bacteriostat.
- 15 7. The composition according to claim 6 wherein the water-soluble bacteriocide is chlorhexidine gluconate, the iodophor is povidone iodine, and the water-insoluble bacteriostat is triclosan or hexachlorophene.
8. A method for cleansing skin comprising applying the composition of claim 1 onto the skin in a sufficient amount and for a sufficient period of time in order to achieve
20 asepsis.
9. The method of claim 8 wherein the period of time is between 30 and 90 seconds.
10. The method according to claim 8 or claim 9 further comprising allowing the alkanol in the composition on the skin to evaporate whereby the skin is substantially dry,
25 applying a small amount of water to the substantially dry skin, washing the skin under foam generation and finally rinsing the skin.
11. The method of claim 10 wherein the skin is rinsed with water.

A. CLASSIFICATION OF SUBJECT MATTER Int. Cl. ⁵ C11D 3/48 A61K 7/48 7/50 According to International Patent Classification (IPC) or to both national classification and IPC					
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC C11D 3/48 A61K 7/48 7/50 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched AU: IPC as above Electronic data base consulted during the international search (name of data base, and where practicable, search terms used) DERWENT: BACTERIOCID JAPIO:					
C. DOCUMENTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.			
X	AU,A, 29278/57 (224846) (SCOTTISH OILS LIMITED) 9 January 1958 (09.01.58) page 2, example 1, claims 1-12	1-5			
X	AU,A, 575/66 (407546) (JOHNSON AND JOHNSON) 20 July 1967 (20.07.67) pages 2-4; page 15; page 17; claims 1-11	1-11			
X	AU,B, 49571/85 (590224) (BRUNO ANTHONY GLUCK) 17 April 1986 (17.04.86) pages 1-3; page 4, line 18; examples; claims 1-13	1-2, 4-11			
<div style="display: flex; justify-content: space-between;"> <div> <input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. </div> <div> <input checked="" type="checkbox"/> See patent family annex. </div> </div>					
<table style="width: 100%; border: none;"> <tr> <td style="width: 33%; vertical-align: top;"> * Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed </td> <td style="width: 33%; vertical-align: top;"> "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family </td> <td style="width: 33%;"></td> </tr> </table>			* Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family	
* Special categories of cited documents : "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family				
Date of the actual completion of the international search 15 December 1992 (15.12.92)		Date of mailing of the international search report 24 DEC. 1992 (24.12.92)			
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200 WODEN ACT 2606 AUSTRALIA Facsimile No. 06 2853929		Authorized officer  S CHEW Telephone No. (06) 2832248			

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate of the relevant passages	Relevant to Claim No.
X	AU,B, 45579/89 (628110) (UNILEVER PLC) 7 June 1990 (07.06.90) page 4,claims 1-23	1, 5, 8-11
X	AU,A, 48888/90 (CIBA-GEIGY AG) 9 August 1990 (09.08.90) claims 1-19	1, 3-5
X	DD,A, 203685 (VEB LEUNA WERK ULBRICHT) 2 November 1983 (02.11.83) claims 1-4	1-11
X	PATENT ABSTRACTS OF JAPAN, C-679, page 163, JP,A, 1-272503 (ASHAHI DENK A KOGYO K K) 31 October 1989 (31.10.89) abstract	1-11

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report				Patent Family Member			
AU	29278/57						
AU	575/66						
AU	49571/85	BR	8506945	DK	2443/86		
		EP	197968	FI	862180	NO	862058
		US	4919837	WO	8602090	CA	1287284
AU	45579/89	BR	8906118	EP	371801		
		JP	2193909	US	5093112	ZA	8909196
AU	48888/90	EP	381618	JP	2240199		
GB	1565067	CH	603700	DE	2540170	FR	2323705
		IT	1069579	JP	52056190	US	4320114
JP	272503/90	JP	3144106	DE	4032536	FR	2653188
		GB	2237089	JP	3144106	US	5074703
DD	203685						